


桥式整流座


PART NO: LBG01

- ◆ MATERIAL:PBT(UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm

用途:保护桥式整流器立于 PC 板上,使脚不弯曲、折断、短路、且高度一致。



LBG01 结构图




PART NO	A	B	C	D	PACKAGE
LBG01	22.0	7.0	3.5	5.5	500

桥式整流座


PART NO: LBG02

- ◆ MATERIAL: PBT(UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm

用途: 保护桥式整流器立于 PC 板上, 使脚不弯曲、折断、短路、且高度一致。



LBG02 结构图




PART NO	A	B	C	D	PACKAGE
LBG02	30.5	8.5	5.0	7.0	500

桥式整流座


PART NO: LBG03

- ◆ MATERIAL: PBT(UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm

用途: 保护桥式整流器立于 PC 板上, 使接脚不弯曲、折断、短路、且高度一致。




LBG03 结构图



PARTNO
LBG03

PACKAGE
500




桥式整流座

PART NO: LBG04

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: NATURAL
- ◆ UNIT: mm


用途: 保护桥式整流器立于 PC 板上，使接脚不弯曲、折断、短路，且高度一致。

LBG04 结构图



PARTNO
LBG04

PACKAGE
500




桥式整流座

PART NO: LBG05

- ◆ MATERIAL:PBT (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm

用途:保护桥式整流器立于 PC 板上，使接脚不弯曲、折断、短路，且高度一致。

LBG05 结构图



PARTNO
LBG05

PACKAGE
500